



[Home](#) / [Standard products](#) / [Rubber hoses](#) / [Cooling water hose DIN 73411-79](#)



- mandrel wound
- Inner tube: EPDM, black, smooth
- Cover: EPDM, black, fabric pattern
- Reinforcement: Textile cord inlay
- Temperature: -40 °C to +120°C

Art. No.	Inner Ø x Wall [mm]	Operating pressure [bar]	Weight [g/m]	Roll length [m]
0800016	8 x 3,5	6	150	40
0800020	20 x 3,5	6	300	40
0800128	22 x 3,5	6	320	40
0800123	25 x 3,5	6	360	40
0800008	28 x 4,0	6	420	40
0800230	30 x 4,0	6	460	40
0800231	32 x 4,0	6	490	40
0800021	35 x 4,0	6	540	40
0800077	38 x 5,0	6	780	40
0800041	40 x 5,0	6	820	40
0800109-1	42 x 5,0	850	40	
0800081	45 x 5,0	6	900	40
0800093	48 x 5,0	6	960	40
0800051	50 x 5,0	6	1.000	40
0800232	55 x 5,0	6	1.100	40

Art. No.	Inner Ø x Wall [mm]	Operating pressure [bar]	Weight [g/m]	Roll length [m]
0800092	60 x 5,0	6	1.200	40
0800234	63,5 x 5,0	5	1.250	40
0800074	65 x 5,0	5	1.260	40
0800233	70 x 5,0	5	1.350	40
0800075	75 x 5,0	5	1.460	40
0800235	80 x 6,0	4	1730	20
0800236	85 x 6,0	4	1.750	20
0800237	90 x 6,0	4	2.200	20
0800078	100 x 6,25	3	2.400	20
0800239	110 x 6,0	3	2.560	20
0800238	114 x 6,0	3	2.580	20
0800240	120 x 6,5	3	3.150	20
0800241	125 x 6,5	3	3.200	20
0800242	140 x 6,5	3	3.540	20
0800243	152 x 7,0	3	3.800	20

Art. No.	Inner Ø x Wall [mm]	Operating pressure [bar]	Weight [g/m]	Roll length [m]
0800110	160 x 7,0	3	4.100	20
0800244	200 x 7,5	3	5.050	20

DIN 73411-79, extruded

- Core: EPDM, black, smooth
- Cover: EPDM, black, smooth
- Reinforcement: Polyester inlay
- Operational pressure: 3 bar
- Burst pressure: 9 bar
- Temperature: -40 °C to +120 °C

Art. No.	Inner Ø x Wall [mm]	Weight [g/m]	Roll length [m]
	10 x 3,5	150	100
	12 x 3,5	160	100
0800085	13 x 3,5	170	60
	15 x 3,5	190	60
	16 x 3,5	200	60

Art. No.	Inner Ø x Wall [mm]	Weight [g/m]	Roll length [m]
	18 x 3,5	230	60
0800027	19 x 3,5	240	60

Silicone cooling water hoses, bends and sleeves available upon request!

© 2023 Hilgendorf GmbH + Co. KG • Benzstraße 1 • D-31135 Hildesheim

[+49 \(0\) 5121 / 28995-0](tel:+495121289950)

[E-Mail](#)

Cookie-Settings

- ☒ Technically essential
- ☐ Statistical purposes (anonymised)

We use cookies on our website. Some of them are technically essential, while others enable us to provide you with a better user-experience. You can consent to the use of cookies for statistical purposes by clicking on „Agree and continue“ or adjust the settings on your own via the options above. For further information and how you can change your decision at any time, please refer to our [data privacy statement](#).

Agree and continue Accept only essential