



[Home](#) / [Standard products](#) / [Hose fittings](#) / [Hose nipple](#)



with union nut, straight, *inches*

According to drawing 39V 16631

- Union nut material made of galvanized steel, nozzle made of brass
- For use without hose clamp in combination with our push-lock-hoses
- Free from any substances which can affect paint adhesion (following PV 3.10.7)

Art. No.	Female thread	For hose DN	Weight
	[in]	[mm]	[g/pc.]
1208937 *	G1/4	6	23
1208938	G3/8	10	28
1208939	G1/2	13	70
1208940	G3/4	16	90
1208941	G1	20	157
1208943	G1 1/4	25	274

* Nipple G1/4 = Material 1.4305



with union nut, straight, *metric*

Art. No.	Female thread	For hose DN	Weight
	[mm]	[mm]	[g/pc.]
4100212	M16x1,5	10	28
4100202	M22x1,5	13	70
4100122	M26x1,5	16	90
4100459	M30x2	20	157



with union nut, 45°, *inches*

In the style of drawing 39V 16631

- Union nut material made of galvanized steel, nipple made of brass
- For use without hose clamp in combination with our push-lock-hoses
- Free from any substances which can affect paint adhesion (following PV 3.10.7)

Art. No.	Female thread	For hose DN	Weight
	[in]	[mm]	[g/pc.]

Art. No.	Female thread	For hose DN	Weight
1208001	G1/4	6	31
1208007	G3/8	10	48
1208011	G1/2	13	110



with union nut, 45°, *metric*

Art. No.	Female thread	For hose DN	Weight
	[mm]	[mm]	[g/pc.]
1201021	M14x1,5	6	32
1200103	M16x1,5	10	54
1201011	M22x1,5	13	105

"X" upon request



with union nut, 90°, *inches*

In the style of drawing 39V 16631

- Union nut material made of galvanized steel, nipple made of brass

- For use without hose clamp in combination with our push-lock-hoses
- Free from any substances which can affect paint adhesion (following PV 3.10.7)

Art. No.	Female thread	For hose DN	Weight
	[in]	[mm]	[g/pc.]
1208002	G1/4	6	33
1208003	G3/8	10	52
1208012	G1/2	13	130



with union nut, 90°, *metric*

Art. No.	Female thread	For hose DN	Weight
	[mm]	[mm]	[g/pc.]
1200117	M12x1	6	32
1200102	M16x1,5	10	52
1200100	M22x1,5	13	127

"X" upon request



with male thread, *inches*

According to drawing 39D 1441

- Material brass
- For use without hose clamp in combination with our push-lock-hoses
- Free from any substances which can affect paint adhesion (following PV 3.10.7)

Art. No.	Male thread	For hose DN	Weight
	[in]	[mm]	[g/pc.]
1207520	G3/8	10	36
1207522	G1/2	13	70

© 2023 Hilgendorf GmbH + Co. KG • Benzstraße 1 • D-31135 Hildesheim

[+49 \(0\) 5121 / 28995-0](tel:+495121289950)

[E-Mail](#)

Cookie-Settings

- ☒ Technically essential
- ☐ Statistical purposes (anonymised)

We use cookies on our website. Some of them are technically essential, while others enable us to provide you with a better user-experience. You can consent to the use of cookies for statistical purposes by clicking on „Agree and continue“ or adjust the settings on your own via the options above. For further information and how you can change your decision at any time, please refer to our [data privacy statement](#).

Agree and continue Accept only essential