



[Home](#) / [Standard products](#) / [Rubber hoses](#) / [Push-lock hose, polyurethane](#)



- With textile inlay
- For high wear and tear demands
- For conducting air, water and various gases
- For use without a hose clamp
- Temperature range: - 40 °C to + 80 °C
- Free from any substances which can affect paint adhesion (following PV 3.10.7)

[not all products are basically in stock]

Find out more in our Flyer about the Push-Lock-hose program:



[Product sheet Push-Lock
hose and Fittings](#)

Art. No.	DN	Operating pressure [bar]	Bending radius [mm]	Weight [g/m]	Roll length [m]
1105915	6	24	25	110	50
1105916	10	20	60	154	50
1105917	13	17	75	218	50
XXXX	16	17	125	280	50
XXXX	20	17	150	325	50

Art. No.	DN	Operating pressure [bar]	Bending radius [mm]	Weight [g/m]	Roll length [m]
1105915B	6	24	25	110	50
1100001	10	20	60	160	50
1105917B	13	17	75	220	50
XXXX	16	17	125	280	50
XXXX	20	17	150	325	50

Art. No.	DN	Operating pressure [bar]	Bending radius [mm]	Weight [g/m]	Roll length [m]
1105915G	6	24	25	110	50
1100003	10	20	60	160	50
1105917G	13	17	75	220	50
XXXX	16	17	125	280	50
XXXX	20	17	150	325	50

Art. No.	DN	Operating pressure [bar]	Bending radius [mm]	Weight [g/m]	Roll length [m]
1105915R	6	24	25	110	50
1100002	10	20	60	160	50

Art. No.	DN	Operating pressure [bar]	Bending radius [mm]	Weight [g/m]	Roll length [m]
1105917R	13	17	75	220	50
XXXX	16	17	125	280	50
XXXX	20	17	150	325	50

You will find the corresponding fittings under [hose fittings](#). Please do not hesitate to [contact](#) us if you have any questions.



© 2023 Hilgendorf GmbH + Co. KG • Benzstraße 1 • D-31135 Hildesheim

[+49 \(0\) 5121 / 28995-0](#)

[E-Mail](#)

Cookie-Settings

- ☒ Technically essential
- ☐ Statistical purposes (anonymised)

We use cookies on our website. Some of them are technically essential, while others enable us to provide you with a better user-experience. You can consent to the use of cookies for statistical purposes by clicking on „Agree and continue“ or adjust the settings on your own via the options above. For further information and how you can change your decision at any time, please refer to our [data privacy statement](#).

Agree and continue Accept only essential